



## **Safety Data Sheet for Diamond Seal T80, Part B:**

Diamond Seal T80, Part B

### **SECTION 1- IDENTIFICATION**

**Product name:** "Diamond Seal T80, Part B"

**Intended use:** Waterproofing.

#### **Name, Address, and Telephone of the Responsible Party:**

Diamond Dry Mortars Inc.

Warehouse 8, Michael Commercial Complex

Molino-Paliparan Road, Paliparan 1

Dasmarinas, Cavite 4114

Philippines

Emergency phone # : +63 454 4266

Product identity : "Diamond Seal T80, Part B"

Date Prepared : 16<sup>th</sup> January 2023

SDS Version : 1

### **SECTION 2- HAZARD IDENTIFICATION COMPONENTS**

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS Label element**

Not a hazardous substance or mixture.

### **SECTION 3- COMPOSITION AND INFORMATION OF THE INGREDIENTS OF THE HAZARDOUS CHEMICAL**

#### **Hazardous ingredients**

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Diamond Dry Mortars Inc.

Warehouse 8, Michael Commercial Complex

Molino-Paliparan Road, Paliparan 1

Dasmarinas, Cavite 4114

Philippines

Emergency phone # : +63 454 4266



## **SECTION 4-FIRST AID MEASURES**

### **Health Effects**

Most important symptoms and effects, both acute and delayed:

No known significant effects or hazards.

### **First Aid**

- Eye Contact : Do not rub eye. Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelid widely. If irritation persists; seek medical attention as soon as possible.
- Skin Contact : Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
- Inhalation : If irritation occurs, move to fresh air.
- Ingestion : Wash out mouth with water. Do not induce vomiting, drink plenty of water. If irritation persists; seek medical attention as soon as possible.

## **SECTION 5- FIRE AND EXPLOSION DATA**

- Flash Point : N/A
- Explosive Limit : N/A
- Extinguishing Media : CO<sub>2</sub> , extinguishing powder or water spray jet.

## **SECTION 6 – ACCIDENTAL RELEASE MEASURE**

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep people away from and upwind of spill/leak. Material can create slippery conditions.

Environmental precautions: CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

Methods and materials for containment and cleaning up: Contain spills immediately with inert materials (e.g., sand, earth). Transfer liquids and solid diking material to separate suitable containers for recovery or disposal.

Diamond Dry Mortars Inc.  
Warehouse 8, Michael Commercial Complex  
Molino-Paliparan Road, Paliparan 1  
Dasmarinas, Cavite 4114  
Philippines  
Emergency phone # : +63 454 4266



## **SECTION 7 – HANDLING AND STORAGE**

Precautions for safe handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container tightly closed. Do not breathe vapors, mist or gas.

Conditions for safe storage: Keep from freezing - product stability may be affected. **STIR WELL BEFORE USE.**

Storage stability Storage temperature: 1 - 49 °C Other data: Monomer vapors can be evolved when material is heated during processing operations.

## **SECTION 8 - EXPOSURE CONTROL AND PERSONAL PROTECTION**

Exposure Limit : Contains no substances with occupational exposure limit values.

Engineering Measure : None

Personal Protection : Use of impervious gloves, boots and clothing to protect the skin from contact with dust and wet mixture.

## **SECTION 9-PHYSICAL AND CHEMICAL PROPERTIES**

Physical Characteristic : Milky coloured liquid

Specific gravity : 1,000-1,020 Kg/m<sup>3</sup>

Odor : Non smell

Flash point : > 104.5 °C

pH : approx. 7 (at 23°C)

Volatile organic compounds : < 20 g/l

## **SECTION 10 – STABILITY AND REACTIVITY**

Stable when stored correctly, no dangerous reactions or decomposition products known.

## **SECTION 11 – TOXICOLOGICAL INFORMATION**

No toxic effect known

## **SECTION 12 – ECOLOGICAL INFORMATION**

Do not empty into drains; dispose of this material and its container in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers

Diamond Dry Mortars Inc.  
Warehouse 8, Michael Commercial Complex  
Molino-Paliparan Road, Paliparan 1  
Dasmarinas, Cavite 4114  
Philippines  
Emergency phone # : +63 454 4266



### **SECTION 13 – DISPOSAL CONSIDERATIONS**

Disposal methods Waste from residues :

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Contaminated packaging :

Empty containers should be taken to an approved waste handling site for recycling or disposal.

### **SECTION 14 – TRANSPORT INFORMATION**

Not classified as hazardous for transport purposes and is not regulated by the Transportation of Dangerous Goods (TDG) when shipped by any mode of transport.

**DOT:** Not dangerous goods

**IATA:** Not dangerous goods

**IMDG:** Not dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: not applicable

<b>UN Number:</b>	None allocated
<b>Proper Shipping Name:</b>	None allocated
<b>Class and Subsidiary Risk:</b>	None allocated
<b>Packing Group:</b>	None allocated
<b>Special precautions for user:</b>	None allocated
<b>Hazchem Code:</b>	None allocated

### **SECTION 15 – REGULATORY INFORMATION**

This material does not contain any chemical components with known CAS numbers registered (in Malaysia) by Environmentally Hazardous Substances.

### **SECTION 16 – OTHER INFORMATION**

Use only for the purposes intended. This information is based on our present state of knowledge and is intended to describe our product from the point of view of the safety requirement. It should not be construed as guaranteeing specific properties.

Date Prepared : 16<sup>th</sup> January, 2023

Diamond Dry Mortars Inc.  
Warehouse 8, Michael Commercial Complex  
Molino-Paliparan Road, Paliparan 1  
Dasmarinas, Cavite 4114  
Philippines  
Emergency phone # : +63 454 4266